Technical Data:

| Model | 400 |
|---------------------------------|----------------|
| Wiremesh&Belt width (mm) | 400 |
| Wiremesh&Belt speed (m/min) | 1~6 |
| Refrigeration unit (set) | 2 |
| Cooling tunnel length (m) | 10 |
| Cooling tunnel temperature (°c) | 2~10 |
| Total power (kw) | 16 |
| Weight (kg) | 1800 |
| Outside dimensions (mm) | 13160*700*1500 |

Product Description:

The enrobing line is to coat chocolate on **various food** such as biscuit, wafers, egg rolls cake pie and snacks etc. Cooling tunnel is available.

There are following special devices for optional also:

1. magazine feed: to simplify the feeding of biscuits or wafers to the enrobing wire mesh.

2. granular sprinkler: to sprinkler sesame or peanut granule on the enrobing products.

3. decorator: to decorate zigzags or stripes of different color on the surface of enrobing

- products.

Packaging & Delivery:

- 1. The machine will be packed in a wooden case, avoiding unexpected damage.
- 2. The chocolate enrobing machine on sale will be shipped from Shanghai port.

Service:

- 1. Along with the separate machines, our company also has an ability to deliver integrated solutions for the manufacture of the chocolate product.
- 2. Engineers are available for traveling to the customer's site overseas, in order to launch and maintain machines, as well as to provide a team training at the customer's location.

Product details:















Factory:



Certifications:



Clients with us:

