

Table Specifications:

Capacity	100L <a href="#">Water Dispenser</a>
Capacity (L)	100
Temperature Range (°C)	20-25
Water Filter Type (Standard / Reverse Osmosis)	48
Height (h)	12-16
Width (mm)	5.5
Depth (mm)	2.5
Weight (kg)	1050
Dimensions (mm)	1200 * 1150 * 1050

Notes:

Capacity is approximate and may vary based on water temperature and dispensing rate. Always use the correct water filter for optimal performance. Dimensions are approximate and may vary slightly.

Table Features & Specifications:

- Standard water filter with a lifespan of approximately 6 months.
- Reverse Osmosis (RO) filter for purified water.

Additional Information:

- For detailed information on water filter replacement and maintenance, please refer to the user manual.
- Dimensions include the water filter housing.

Disclaimer:



□□□□:





**SUZHOU ASIA-EUROPE BRIDGE  
ELECTRONIC TECHNOLOGY CO., LTD.**

□□□□□□□□:

**CERTIFICATES FOR QUALITY ASSURANCE**

<p style="text-align: center;">CE</p> 	<p style="text-align: center;">CE</p> 	<p style="text-align: center;">Patent Certificate</p> 	<p style="text-align: center;">ISO</p> 
<p>Equipment variety complete, reasonable price !</p>		<p>Excellent quality assurance, customer service !</p>	

□□□□□□ □□□□□□:

