

Table Specifications:

Capacity	500L
Capacity (L)	500
Capacity (L) (with optional accessories)	22.5
Capacity (L) (with optional accessories)	1.1
Capacity (L) (with optional accessories)	5
Capacity (L) (with optional accessories)	2.5
Capacity (L)	515
Capacity (L) (with optional accessories)	Φ1035 * 1480

Table Features:

The table is designed to be used in a temperature range of 0°C to 100°C. The table is suitable for use in a temperature range of 0°C to 100°C.

- The table is designed to be used in a temperature range of 0°C to 100°C.
- The table is suitable for use in a temperature range of 0°C to 100°C.
- The table is designed to be used in a temperature range of 0°C to 100°C.

Table Dimensions:

1. The table is designed to be used in a temperature range of 0°C to 100°C.
2. The table is suitable for use in a temperature range of 0°C to 100°C.

Table Specifications:



Yes, we can! Ok, we do!
Quality, we promise!



<http://www.aemost.com/>

CE ISO

□□□□□□□□ □□□□□□:



□□□□□:



□□□□□□□:

CERTIFICATES FOR QUALITY ASSURANCE

CE



China Quality Certification Centre
CERTIFICATE OF CONFORMITY

CE



ITS INSPECTION & CERTIFICATION UK LIMITED
CERTIFICATE OF CONFORMITY

Patent Certificate



Patent Certificate
实用新型专利证书

ISO



CERTIFICATE
Shijiazhuang Zhongyuan Certification Center

ISO



ZOHY
QUALITY MANAGEMENT SYSTEM
CERTIFICATE

Equipment variety complete, reasonable price !

Excellent quality assurance, customer service !

□□□□ □□□□:

