

Table Specifications:

Capacity	500L
Capacity (L)	500
Weight (kg) (without wheels)	22.5
Weight (kg) (with wheels)	1.1
Weight (kg) (with wheels and casters)	5
Weight (kg) (with wheels and casters and lid)	2.5
Weight (kg)	515
Weight (kg) (with wheels and casters)	Φ1035 * 1480

Table Dimensions:

The table is designed to be used in a temperature range of 5°C to 15°C. The table is designed to be used in a temperature range of 5°C to 15°C.

- 1. The table is designed to be used in a temperature range of 5°C to 15°C.
- 2. The table is designed to be used in a temperature range of 5°C to 15°C.

Table Features:

1. The table is designed to be used in a temperature range of 5°C to 15°C. The table is designed to be used in a temperature range of 5°C to 15°C.
2. The table is designed to be used in a temperature range of 5°C to 15°C. The table is designed to be used in a temperature range of 5°C to 15°C.

Table Notes:



Yes, we can! Ok, we do!
Quality, we promise!



<http://www.aemost.com/>

CE ISO

□□□□□□□□ □□□□□□:



□□□□□:



□□□□□□□:

CERTIFICATES FOR QUALITY ASSURANCE



Equipment variety complete, reasonable price !

Excellent quality assurance, customer service !

□□□□ □□□□:

