

Table with 2 columns: Specification, Value

Capacity	100L (approx. 2.64 gallons)
Capacity (L)	100
Capacity (gallons)	20-25
Capacity (approx. 2.64 gallons)	48
Capacity (h)	12-16
Capacity (approx. 2.64 gallons)	5.5
Capacity (approx. 2.64 gallons)	2.5
Capacity (approx. 2.64 gallons)	1050
Capacity (approx. 2.64 gallons)	1200 * 1150 * 1050

Notes:

Approximate values based on manufacturer specifications. Actual values may vary slightly.

Capacity & Dimensions:

- Capacity (approx. 2.64 gallons) a. Dimensions (approx. 1200 * 1150 * 1050)
- Capacity (approx. 2.64 gallons) b. Dimensions (approx. 1200 * 1150 * 1050)

Notes:

- Capacity (approx. 2.64 gallons) a. Dimensions (approx. 1200 * 1150 * 1050)
- Capacity (approx. 2.64 gallons) b. Dimensions (approx. 1200 * 1150 * 1050)

Notes:



□□□□:





**SUZHOU ASIA-EUROPE BRIDGE
ELECTRONIC TECHNOLOGY CO., LTD.**

□□□□□□□□:

CERTIFICATES FOR QUALITY ASSURANCE

<p>CE</p> 	<p>CE</p> 	<p>Patent Certificate</p> 	<p>ISO</p> 	<p>ISO</p> 
Equipment variety complete, reasonable price !			Excellent quality assurance, customer service !	

□□□□□□ □□□□□□:

