

Table Specifications:

Model	YOQ-E250
Wiremesh Size (mm)	250
Wiremesh Thickness (mm / inch)	3.5-6.5
Refrigeration Capacity	1 ton
(Refrigerant Type)	5
(Refrigerant Temperature °C)	2-15
Weight (kg)	10.94
Dimensions (mm)	8400 * 940 * 1780

Installation:

**Enrobing** is a process of coating a wire mesh with a material to protect it from corrosion and to improve its strength. The process involves dipping the wire mesh into a bath of molten material, which is then cooled and solidified.

The following steps describe the enrobing process:

1. **Preparation:** Enrobing is performed on a wire mesh that has been cleaned and prepared for coating.
2. **Enrobing:** Enrobing is performed by dipping the wire mesh into a bath of molten material, which is then cooled and solidified.
3. **Post-Processing:** Enrobing is performed using zigzags to ensure that the coating is applied evenly to the wire mesh.

The 250mm Enrobing is a process of coating a wire mesh with a material to protect it from corrosion and to improve its strength. The process involves dipping the wire mesh into a bath of molten material, which is then cooled and solidified. Omron is a brand of electrical components.

**& amp;** Specifications:

1. The specifications for the Enrobing process are as follows:
2. The specifications for the Enrobing process are as follows:

Notes:

1. The specifications for the Enrobing process are as follows:

2. The specifications for the Enrobing process are as follows:

Notes:









巧克力 巧克力糖衣:



巧克力糖衣:







□□□□□□□□:

**4 Certificates** 

**CERTIFICATES FOR QUALITY ASSURANCE**

<p><b>CE</b></p> 	<p><b>CE</b></p> 	<p><b>Patent Certificate</b></p> 	<p><b>ISO</b></p> 	<p><b>ISO</b></p> 
<p>Equipment variety complete, reasonable price !</p>			<p>Excellent quality assurance, customer service !</p>	

□□□□□□ □□ □□□□:

