

Table Specifications:

Table Dimensions	Table Dimensions: Length x Width x Height
Table Weight	100 kg
Table Capacity (kg)	100
Table Height (cm)	22.5
Table Width (cm)	0.75
Table Length (cm)	2.5
Table Power (kw)	2.5
Table (cm)	200
Table Diameter (cm)	$\Phi 750 \times 700$

Notes:

Table specifications are subject to change without notice. For more information, please contact our customer service team. The table is designed for use in a clean, dry environment. Temperature should be maintained between 15°C and 25°C. The table is not suitable for use in areas with high humidity or moisture. The table is not suitable for use in areas with high temperatures or direct sunlight. The table is not suitable for use in areas with high levels of dust or debris. The table is not suitable for use in areas with high levels of vibration or noise. The table is not suitable for use in areas with high levels of electromagnetic interference (EMI). The table is not suitable for use in areas with high levels of radio frequency interference (RFI). The table is not suitable for use in areas with high levels of static electricity. The table is not suitable for use in areas with high levels of ozone. The table is not suitable for use in areas with high levels of ultraviolet radiation (UV). The table is not suitable for use in areas with high levels of ionizing radiation. The table is not suitable for use in areas with high levels of nuclear radiation. The table is not suitable for use in areas with high levels of chemical contamination. The table is not suitable for use in areas with high levels of biological contamination. The table is not suitable for use in areas with high levels of fire or explosion hazard. The table is not suitable for use in areas with high levels of fire or explosion hazard. The table is not suitable for use in areas with high levels of fire or explosion hazard.

Table & Table Specifications:

- Table dimensions: Length x Width x Height
- Table weight: 100 kg

Notes:

- Table specifications are subject to change without notice. For more information, please contact our customer service team. The table is designed for use in a clean, dry environment. Temperature should be maintained between 15°C and 25°C. The table is not suitable for use in areas with high humidity or moisture. The table is not suitable for use in areas with high temperatures or direct sunlight. The table is not suitable for use in areas with high levels of dust or debris. The table is not suitable for use in areas with high levels of vibration or noise. The table is not suitable for use in areas with high levels of electromagnetic interference (EMI). The table is not suitable for use in areas with high levels of radio frequency interference (RFI). The table is not suitable for use in areas with high levels of static electricity. The table is not suitable for use in areas with high levels of ozone. The table is not suitable for use in areas with high levels of ultraviolet radiation (UV). The table is not suitable for use in areas with high levels of ionizing radiation. The table is not suitable for use in areas with high levels of nuclear radiation. The table is not suitable for use in areas with high levels of chemical contamination. The table is not suitable for use in areas with high levels of biological contamination. The table is not suitable for use in areas with high levels of fire or explosion hazard. The table is not suitable for use in areas with high levels of fire or explosion hazard. The table is not suitable for use in areas with high levels of fire or explosion hazard.
- Table dimensions: Length x Width x Height

Table:



**Suzhou Asia-Europe Bridge
Electronic Technology Co., Ltd.**



<http://www.aemost.com/>

CE ISO



□□□□□ □□□□□:



If you need help or require chocolate machinery or start up factories, let me know and contact us, we can steer you in the right direction.



□□□□□□:



□□□□□□□□□□:

4 Certificates 

CERTIFICATES FOR QUALITY ASSURANCE

<p>CE</p>  <p>Equipment variety complete, reasonable price !</p>	<p>CE</p> 	<p>Patent Certificate</p> 	<p>ISO</p>  <p>Excellent quality assurance, customer service !</p>	<p>ISO</p> 
--	--	--	---	---

□□□□□□□□ □□ □□□□:

