

Table Specifications:

Model	YOQ-E250
Capacity (kg)	250
Capacity (kg / day)	3.5-6.5
Capacity (kg)	1000
Capacity (kg)	5
Capacity (°C)	2-15
Capacity (kw)	10.94
Capacity (mm)	8400 * 940 * 1780

Notes:

1. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

2. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

3. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

4. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

5. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

6. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

7. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

Capacity: amp; Notes:

1. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

2. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

Notes:

1. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

2. The capacity is based on the standard conditions. The actual capacity may vary depending on the ambient temperature and humidity.

Notes:







□□□□□ □□□□□:



□□□□□:



□□□□□□□□□□:

4 Certificates 

CERTIFICATES FOR QUALITY ASSURANCE

<p>CE</p>  <p style="text-align: center;">CE</p>	<p>CE</p>  <p style="text-align: center;">CE</p>	<p>Patent Certificate</p> 	<p>ISO</p> 	<p>ISO</p> 
<p>Equipment variety complete, reasonable price !</p>		<p>Excellent quality assurance, customer service !</p>		

□□□□□ □□□□□:

