

Technical parameters:

| | |
|------------------------------|--------------------|
| Model | 1250 |
| Polishing head diameter (mm) | 1250 |
| Speed (rpm) | 28 |
| Main motor power (kW) | 2.2 |
| Air Laube power (w) | 370 |
| Heating capacity (W) | 1000 x 2 |
| Capacity (kg / time) | 90-150 |
| Weight (kg) | 400 |
| External dimensions (mm) | 1340 × 1250 × 1680 |

Function:

1.chocolate coating pan is used for coating chocolate or sugar on the surface of the granular food; such as peanut, almonds, raisins, etc.

2. It is also for polishing chocolate in various forms, used after polishing the chocolate is excellent in gloss, color and shape.

3.after polishing will be well and evenly packed to the products, the film, and take the form of the package clearly.

Packaging &Delivery:

1. The machine is packed in a wooden box, avoid unexpected damage.
2. This machine will be shipped from Shanghai Port.

Service:

1. Along with the separate machines, our company also has an ability to deliver integrated solutions for the manufacture of the chocolate product.

2. Engineers are available for traveling to the customer's site overseas, in order to launch and maintain machines, as well as to provide a team training at the customer's location.

Our machines



Our factory



Our certificates



CERTIFICATES FOR QUALITY ASSURANCE

| | | | | |
|---|-----------|--|------------|------------|
| <p>CE</p> | <p>CE</p> | <p>Patent Certificate</p> | <p>ISO</p> | <p>ISO</p> |
| <p>Equipment variety complete, reasonable price !</p> | | <p>Excellent quality assurance, customer service !</p> | | |

Our Customers

