Technical Parameter:

| Model | YOQ-E250 |
|---------------------------------|---------------|
| Wiremesh and belt width(mm) | 250 |
| Wiremesh and belt speed(m/min) | 3.5-6.5 |
| Refrigeration unit | 1sets |
| Cooling tunnel length(m) | 5 |
| Cooling tunnel temperature(°C) | 2-15 |
| Total power(kw) | 10.94 |
| Dimensions(mm) | 8400*940*1780 |

Function □

The enrobing line is to coat chocolate on **various food** such as biscuit, wafers, egg rolls cake pie and snacks etc. Cooling tunnel is available.

There are following special devices for optional also:

1. magazine feed: to simplify the feeding of biscuits or wafers to the enrobing wire mesh.

2. granular sprinkler: to sprinkler sesame or peanut granule on the enrobing products.

3. decorator: to decorate zigzags or stripes of different color on the surface of enrobing

- products.

Our 250mm Chocolate enrobing machine is high grade type with Motor like SEW or Nord, electricity Omron or Schneider.

Packaging & Delivery:

- 1. The machine will be packed in a wooden case, avoiding unexpected damage.
- 2. The machine will be shipped from Shanghai port.

Service:

- 1. Along with the separate machines, our company also has an ability to deliver integrated solutions for the manufacture of the chocolate product.
- 2. Engineers are available for traveling to the customer's site overseas, in order to launch and maintain machines, as well as to provide a team training at the customer's location.

Details:













Chocolate Products:





Factory:





Certifications:







Clients visit:



















