

Parâmetros técnicos:

Modelo	500L
Capacidade máxima (EU)	500
Velocidade rotativa do eixo principal (rpm)	22.5
Potência do motor principal (kw)	1.1
Potência de aquecimento elétrico (kw)	5
Potência de retenção de calor (kw)	2,5
Peso (kg)	515
Dimensões exteriores (mm)	Φ1035 * 1480

Função:

O tanque de retenção é para armazenar o chocolate grindado finocomiu massa em temperatura constante; é wiautomático sistema de controle de temperatura.

Embalagem & Entrega:

1. A máquina será embalada em um caixa de madeira, evitando danos inesperados.
2. A máquina serão enviados a partir de Porto de Xangai.

Serviço:

1. Juntamente com as máquinas separadas, nossa empresa também possui capacidade para fornecer soluções integradas para a fabricação do produto de chocolate.
2. Os engenheiros estão disponíveis para viajar para o site do cliente no exterior, para iniciar e manter máquinas, bem como para fornecer treinamento em equipe na localização do cliente.

Detalhes:



Yes, we can! Ok, we do!
Quality, we promise!



<http://www.aemost.com/>

CE ISO

Produtos de chocolate:



Fábrica:





Certificações:

CERTIFICATES FOR QUALITY ASSURANCE

CE



China Quality Certification Centre
CERTIFICATE OF CONFORMITY

CE



ITS INSPECTION & CERTIFICATION UK LIMITED
CERTIFICATE OF CONFORMITY

Patent Certificate



实用新型专利证书

ISO



CERTIFICATE
Shanghai Zhang-Pei-Hua Certification Center

ISO



ZOHY
QUALITY MANAGEMENT SYSTEM
CERTIFICATE

Equipment variety complete, reasonable price ! Excellent quality assurance, customer service !

Visita aos clientes:

